



3M RESPIRATOR

The 3M respirator can provide protection against a range of organic vapours boiling above 65°C in concentrations up to ten times the Occupational Exposure Limit (OEL) or 5,000ppm, whichever is lower. In addition, this respirator can protect against fine dust, with mean particle size down to 0.5 micron, in concentrations up to 12 times OEL. The 3M 4255 respirator meets the requirements of the HSE-approved standard EN405 FFA2P2.

PRICE HELD

3MRESP

£21.60

Filter Specification Chart

Type and colour code	Application
A1	Organic gases and vapours (e.g. solvents)
A2	Long duration, for organic gases and vapours
A1 B1 E1	Organic, inorganic, acid gases/vapours
A1 B1 E1 K1	Organic, inorganic, acid gases/vapours and ammonia
A1 P3	Organic gases and vapours, solid and liquid particles
A2 P3	Long duration, for organic gases and vapours, solid and liquid particle
A1 B1 E1 P3	Organic, inorganic and acid gases and vapours, solid and liquid particles
A1 B1 E1 K1 P3	Organic, inorganic, acid gases and vapour, ammonia, solid and liquid particles
P1	Inert particulates
P2	Harmful particulates
P3	Toxic particulates and liquid aerosols

1 30 DAY MONEY BACK GUARANTEED

2 NEXT DAY DELIVERY GUARANTEED

3 ALWAYS IN STOCK GUARANTEED